


Submittal Data: GWC09QB-D3DNA6E		9,000 BTU/H Wall Mounted AIR CONDITIONER	
Job Name		Location	
Purchaser		Date	
Submitted to:		Engineer	
Unit Designation		For <input type="checkbox"/> Reference <input type="checkbox"/> Approval <input type="checkbox"/> Construction	
GENERAL FEATURES		Schedule No.	
<ul style="list-style-type: none"> -Compact and Quiet Design -High Efficiency DC Inverter Technology -Wireless Remote with LCD Display -Comfortable Sleep Mode -Intelligent Defrost -Able to Cool at Low Temperature of -18°C (0°F) -All models are with electric heater band 			
System Ratings		Indoor Unit Data	
Cooling		Fan Motor	
Rated Capacity	9,000 BTU/H	Output Power	20 W
Capacity Range	3100-9600 BTU/H	FLA	0.215 A
Power Input (Max)	1,300 W	Airflow	
SEER	16	Cooling Wet (Lo/Hi)	171/318 CFM
EER	10	Heating Dry (Lo/Hi)	
		Sound Pressure Level	
		Cooling (Lo/Hi)	28-43 dB (A)
		Heating (Lo/Hi)	
		Dimensions & Weights	
		Unit Dimensions (LxHxD)	31.102×10.827×7.874-in
		Weight (Net/Shipping)	19.845 LBS
Operating Range		Outdoor Unit Data	
Cooling	(Max) (46 C) (Min) (-18 C)	Compressor DC Inverter Driven Rotary	
		Refrigerant Type R410A	
		Fan Motor Output Power 30 W	
		FLA 0.36 A	
		Sound Pressure	
		Cooling	52 db(A)
		Heating	
		Dimensions & Weights	
		Unit Dimensions (LxHxD)	30.551×21.26×12.598-in
		Weight (Net/Shipping)	66.2 LBS
Power Supply		Refrigerant Piping Data	
Normal Operational Voltage	220 V, 1 Phase, 60 Hz	Gas Pipe Size (OD)	3/8-in
Voltage Range	187-253 V	Liquid Pipe Size (OD)	1/4-in
Main Power Wire Size	14/2 AWG	Connection Method	Flared
Interconnecting Cable Wire Size	14-4 AWG	MAX Refrigerant Pipe Length	49,2-ft
MCA	9 A	MIN Refrigerant Pipe Length	10-ft
MOCP/Breaker Size	15 A	MAX Refrigerant Pipe Height Difference	32,8-ft



